



Government Of Maharashtra

**Shri Bhausaheb Hire Govt. Medical College & Sarvopchar rugnalya, Dhule
(Maharashtra)**

U.P.C.

QUOTATION

DUE DATE : 22/ 02 / 2024

SBHGMCD/Non IP Surgical Store /Ortho Inplant/ 2113 /2024

DATE 14 /02/ 2024

Phone- 02562 239407

Fax No. 02562 239207

To,

Please offer your quotation for the items enlisted herewith on or before due date. Read the instruction scrupulously before quoting the rate to avoid complication in comparing your rates with the rate quoted by the other suppliers. Incase if your rates quoted are not found in the given proforma duly filled in all respects, they will not be taken in to consideration.

01. Please quote your rates for the items as per our specification. Rates quoted for the items other than our specification will not be considered.
02. Your rates should be valid at least for Six month after accepting the Quotation.
03. Please quote the mode of computing the excise / S.T. / G.S.T.
04. S.T. / G.S.T. should be charged against form A (OR D, H)
05. Rates quoted should be F.O.R. Dhule only. If there is no Mention the rates will be treated for F.O.R. Dhule.
06. If the rates are accepted and supply order is placed, the delivery of the goods should be for the F.O.R. Dhule within 15 days.
07. On receipt of goods in good and acceptable condition along with the bills in Triplicate, full payment will be made at earliest possible.
08. Your Quotaion should be in properly sealed enveloped and on the Top of envelope the words Inquiry No. /2024 Date 14 /02/ 2024 Due Date 22 /02/ 2023 and name of the Item should be superscribed. Please Dont overwrite the figures.
09. The Undersigned reserves the right to accept or reject the Quotation without assigning any reason.
10. Please Quote the rates in Indian currency only.
11. Following Certificate should be submitted along with the Quotation .
 - 1) Sale Tax No. & Clearance up to March.2023
 - 2) Authorisation Certificate from Manufacturer.
 - 3) Drug & Shop License
 - 4) GST Certificate
 - 5) Pan Card
 - 6) Cancele Check & Bank pass book Xerox.

DEAN,

**Shri Bhausaheb Hire Govt.
Medical College, Dhule.**

PROFORMA

Quotation For : Ortho Implants Item


Sr. No.	Product	Specification	Quantity
1	Coritcal Screw 3.5 mm S.S. 8.0 mm To 40 mm 2 mm Different	Coritcal Screw 3.5 mm S.S. 8.0 mm To 40 mm 2 mm Different	8 to 10=5 each 11 to 20 =10 each 21 to 30 = 15 each 31to 40= 5 each
2	Coritcal Screw 4.5 mm S.S. 16 mm to 60 mm 2 mm Different	Coritcal Screw 4.5 mm S.S. 16 mm to 60 mm 2 mm Different	16 to 20=5 each 21 to 30 =10 each 31 to 40 = 15 each 41to 60= 5 each
3	C.C. Screw 4.0 mm 12 mm To 80 mm	C.C. Screw 4.0 mm 12 mm To 80 mm	12 to 20=5 each 22 to 30 =10 each 32 to 40 = 15 each 42to 60= 5 each 62 to 80 = 10 each
4	C.C. Screw 6.5 mm 16 TL 30 mm To 110 mm 5 mm Different	C.C. Screw 6.5 mm 16 TL 30 mm To 110 mm 5 mm Different	30 to 50=5 each 55 to 80 =15 each 85 to 110 = 10 each
5	C.C. Screw 6.5 mm 16 Full Thread 30 mm To 110 mm 5 mm Different	C.C. Screw 6.5 mm 16 Full Thread 30 mm To 110 mm 5 mm Different	30 to 50=5 each 55 to 80 =15 each 85 to 110 = 10 each
6	D.C.P. Small Plate 3.5mm S.S. 4 H to 8 Hole	D.C.P. Small Plate 3.5mm S.S. 4 H to 8 Hole	4 to 6= 5 each 7 to 8= 15 each
7	9 Hole to 12 Hole	9 Hole to 12 Hole	9 to 12 = 10 each
8	D.C.P. Narrow Plate 4.5 mm S.S. 4 H to 9 Hole	D.C.P. Narrow Plate 4.5 mm S.S. 4 H to 9 Hole	4 to 6 = 5 each 7 to 9 = 15 each
9	10 Hole to 14 Hole	10 Hole to 14 Hole	10 to 14 =10 each
10	Square Nail For Radius & Ulna 2.0 mm to 3.0 mm 17 cm To 30 cm	Square Nail For Radius & Ulna 2.0 mm to 3.0 mm 17 cm To 30 cm	(A) 2 mm 17 to 20 = 5 each 21 to 25 = 15 each 25 to 30 = 10 each (B) 3 mm 17 to 20 = 5 each 21 to 25 = 15 each 25 to 30 = 10 each
11	Rush Nail 2.0 mm to 3.0 mm 17 cm To 30 cm	Rush Nail 2.0 mm to 3.0 mm 17 cm To 30 cm	(A) 2 mm 17 to 20 = 5 each 21 to 25 = 15 each 25 to 30 = 10 each (B) 3 mm 17 to 20 = 5 each 21 to 25 = 15 each 25 to 30 = 10 each
12	Titanum Elestic NAIL 2.0 mm To 4.0 mm	Titanum Elestic NAIL 2.0 mm To 4.0 mm	2 mm = 15 2.5 to 3 = 10 each 3.5 to 4 mm = 5 each
13	D.H.S. Plate Short Barral 120 ° To 140 °4 Hole & 5 Hole	D.H.S. Plate Short Barral 120 ° To 140 °4 Hole & 5 Hole	130 ° 4 to 5 holes = 10 each 135 ° 4 to 5 holes = 10 each
14	D.H.S. Plate Short Barral 120 ° To 140 ° 6 Hole To 12 hole	D.H.S. Plate Short Barral 120 ° To 140 ° 6 Hole To 12 hole	130 ° 6 to 12 holes = 3 each 135 ° 6 to 12 holes = 3 each

15	D.H.S. Screw 50 mm to 110	D.H.S. Screw 50 mm to 110	50 to 75 = 5 each 75 to 100 = 10 each
16	D.C.S. Plate or 95 ° 6 Hole to 10 Hole	D.C.S. Plate or 95 ° 6 Hole to 10 Hole	5 each
17	D.C.S. Plate or 95 ° 11 Hole to 15 Hole	D.C.S. Plate or 95 ° 11 Hole to 15 Hole	5 each
18	L Buttress Plate Left & Right 2 Hole To 12 Hole	L Buttress Plate Left & Right 2 Hole To 12 Hole	2 to 4 = 5 each 5 to 12 = 10 each
19	T Butter Plate 2 Hole to 12 Hole	T Butter Plate 2 Hole to 12 Hole	2 to 4 = 5 each 5 to 12 = 10 each
20	Distal Tibia Plate Left & Right 4 Hole To 8 Hole	Distal Tibia Plate Left & Right 4 Hole To 8 Hole	15 each
21	Distal Tibia Plate Left & Right 9 Hole To 12 Hole	Distal Tibia Plate Left & Right 9 Hole To 12 Hole	10 each
22	Distal Tibia Plate Left & Right 13 Hole To 16 Hole	Distal Tibia Plate Left & Right 13 Hole To 16 Hole	5 each
23	Distal Femure Plate Left & Right 5 Hole To 15 Hole	Distal Femure Plate Left & Right 5 Hole To 15 Hole	5 to 10 = 10 each 11 to 15 = 5 each
24	Reconstrion Plate 3.5 mm 4 Hole To 12 Hole	Reconstrion Plate 3.5 mm 4 Hole To 12 Hole	4 to 8 = 15 each 10 to 12 = 10 each
25	One Third Plate 3.5 mm 4 Hole To 12 Hole	One Third Plate 3.5 mm 4 Hole To 12 Hole	4 to 8 = 15 each 10 to 12 = 10 each
26	Small T Plate 3.5 mm 2 Hole To 7 Hole	Small T Plate 3.5 mm 2 Hole To 7 Hole	2 to 4 = 15 each 5 to 7 = 10 each
27	T Oblique Plate 3.5 mm 2 Hole To 7 Hole	T Oblique Plate 3.5 mm 2 Hole To 7 Hole	2 to 4 = 15 each 5 to 7 = 10 each
28	Ellis Plate 3.5 mm 2 Hole To 7 Hole	Ellis Plate 3.5 mm 2 Hole To 7 Hole	2 to 4 = 15 each 5 to 7 = 10 each
29	A.M.P. 37 MM TO 55 MM	A.M.P. 37 MM TO 55 MM	37 to 41 = 5 each 43 to 47 = 15 each 49 to 53 = 5 each
30	I.L. Bolt 2.9 mm 20 To 46 mm	I.L. Bolt 2.9 mm 20 To 46 mm	0
31	I. L. Bolt 3.9 mm 20 mm To 50 mm	I. L. Bolt 3.9 mm 20 mm To 50 mm	5 each
32	I.L. Bolt 4.9 mm 24 mm To 80 mm	I.L. Bolt 4.9 mm 24 mm To 80 mm	24 to 40 = 15 each 42 to 50 = 5 each 52 to 80 = 3 each
33	I.L. Nail Tibia 28 cm to 38 cm 9.0 cm to 10 cm	I.L. Nail Tibia 28 cm to 38 cm 9.0 cm to 10 cm	(A) 9 cm 28 to 30 = 5 each 32 to 36 = 10 each 38 = 05 each (B) 10 cm 28 to 30 = 5 each 32 to 36 = 10 each 38 = 05 each
34	I.L. Nail Tibia Distal 28 cm to 38 cm 9.0 cm to 10 cm	I.L. Nail Tibia Distal 28 cm to 38 cm 9.0 cm to 10 cm	(A) 9 cm 28 to 30 = 5 each 32 to 36 = 10 each 38 = 05 each (B) 10 cm 28 to 30 = 5 each 32 to 36 = 10 each 38 = 05 each
35	Interlock Nail Femure 34 cm to 46 cm 9.0 mm to 12 mm	Interlock Nail Femure 34 cm to 46 cm 9.0 mm to 12 mm	0
36	Titanium Interlock Nail Tibia 28 cm	Titanium Interlock Nail	0

	To 38 cm 8.0 mm To 10 mm With 4 Bolt	Tibia 28 cm To 38 cm 8.0 mm To 10 mm With 4 Bolt	
37	Titanium Interlock Nail Femure 34 cm To 42 cm 9.0 mm To 12 mm With 4 Bolt	Titanium Interlock Nail Femure 34 cm To 42 cm 9.0 mm To 12 mm With 4 Bolt	0
38	T.F.N. & P.F.N Nail Short 130 ° & 135 ° 9.0 mm to 12 mm	T.F.N. & P.F.N Nail Short 130 ° & 135 ° 9.0 mm to 12 mm	(A) 130 ° T.F.N. & P.F.N 9 = 5 each, 10 to 11 = 15 each, 12 = 5 (B) 135 ° T.F.N. & P.F.N 9 = 5 each, 10 to 11 = 15 each, 12 = 5
39	Long P.F.N. Left & Right 130 ° & 135 ° 34 cm to 44 cm 9.0 mm to 11 mm	Long P.F.N. Left & Right 130 ° & 135 ° 34 cm to 44 cm 9.0 mm to 11 mm	(A) 130 ° Long P.F.N 9mm to 11 mm 34cm to 38cm = 5 each, 40cm to 42cm = 10 each, 44cm=5 (B) 135 ° Long P.F.N 9mm to 11 mm 34cm to 38cm = 5 each, 40cm to 42cm = 10 each, 44cm=5
40	P.F.N.Bolt 6.4 mm 60 To 110 mm	P.F.N.Bolt 6.4 mm 60 To 110 mm	60 to 70 = 10 each, 75 to 100 = 15 each, 110 = 3 each
41	P.F.N. Bolt 8.0 mm 65 mm To 110 mm	P.F.N. Bolt 8.0 mm 65 mm To 110 mm	60 to 70 = 10 each, 75 to 100 = 15 each, 110 = 3 each
42	Interlock Hummers Nail S.S. 20 cm To 30 cm	Interlock Hummers Nail S.S. 20 cm To 30 cm	0
43	Interlock R Hummers Nail 20 cm To 30 cm With	Interlock R Hummers Nail 20 cm To 30 cm With	0
44	Expert Interlock Tibia Nail With 4 Bolt	Expert Interlock Tibia Nail With 4 Bolt	0
45	I.L. Nail G.P.S.P. Tibia With Bolt	I.L. Nail G.P.S.P. Tibia With Bolt	0
46	Retrograde femur Interlock Nail 15 cm to 35 cm With Bolt	Retrograde femur Interlock Nail 15 cm to 35 cm With Bolt	15 to 20 = 5 each, 22 to 30 = 10 each 32 to 36 = 15 each, 38 to 46 = 5 each
47	Bipolar 37 cm to 53 cm	Bipolar 37 cm to 53 cm	0
48	Modullar Bipolar 37 cm to 53 cm	Modullar Bipolar 37 cm to 53 cm	37 to 41 = 5 each 43 to 47 = 15 each 49 to 53 = 5 each
49	Uncemented Modullar Bipolar 37 cm to 53 cm	Uncemented Modullar Bipolar 37 cm to 53 cm	37 to 41 = 5 each 43 to 47 = 15 each 49 to 53 = 5 each
50	Bone Cement 40 gm	Bone Cement 40 gm	10
51	Cement Restractor	Cement Restractor	10
52	Cement Syring	Cement Syring	10
53	Locking D.C.P. 3.5 mm Small Plate S.S. 4 Hole to 12 Hole	Locking D.C.P. 3.5 mm Small Plate S.S. 4 Hole to 12 Hole	4 to 6 = 5 each 7 to 9 = 15 each, 10 to 12 = 5 each,
54	Locking D.C.P. Narrow Plate 4.5 mm 6 Hole To 14 Hole	Locking D.C.P. Narrow Plate 4.5 mm 6 Hole To 14 Hole	4 to 6 = 5 each 7 to 9 = 15 each, 10 to 14 = 5 each,
55	Locking L.T.P. Plate Left & Right 5 Hole To 15 Hole	Locking L.T.P. Plate Left & Right 5 Hole To	0

		15 Hole	
56	Locking Distal Femure Plate Left & Right 5 Hole To 15 Hole	Locking Distal Femure Plate Left & Right 5 Hole To 15 Hole	5 to 8 = 10 each, 9 to 12 = 15 each, 13 to 15 = 5 each,
57	Locking Proximal Hummers Plate 3 Hole To 12 Hole	Locking Proximal Hummers Plate 3 Hole To 12 Hole	3 to 4 = 10 each, 5 to 8 = 5 each, 9 to 12 = 3 each
58	Locking RAFT Plate Left & Right 3 Hole To 13 Hole	Locking RAFT Plate Left & Right 3 Hole To 13 Hole	3 to 6 = 10 each, 7 to 9 = 15 each, 10 to 13 = 8 each
59	Locking Proximal Medial Tibia Plate Left & Right 3 Hole To 13 Hole	Locking Proximal Medial Tibia Plate Left & Right 3 Hole To 13 Hole	3 to 6 = 10 each, 7 to 9 = 15 each, 10 to 13 = 8 each
60	Locking Distal Hummers Plate Left & Right 4 Hole To 12 Hole	Locking Distal Hummers Plate Left & Right 4 Hole To 12 Hole	4 to 6 = 15 each, 7 to 9 = 10 each, 10 to 12 = 5 each
61	Locking Distal Tibia Plate Left & Right 4 Hole To 14 Hole	Locking Distal Tibia Plate Left & Right 4 Hole To 14 Hole	4 to 6 = 15 each, 7 to 9 = 10 each, 10 to 14 = 5 each
62	Locking Cortex Screw 2.4 mm S.S. 10 cm To 40 cm	Locking Cortex Screw 2.4 mm S.S. 10 cm To 40 cm	10cm to 20cm = 15 each, 20cm to 40cm = 10 each
63	Locking Cortex Screw 3.5 mm S.S. 10 cm To 40 cm	Locking Cortex Screw 3.5 mm S.S. 10 cm To 40 cm	10cm to 20cm = 20 each, 20cm to 40cm = 15 each
64	Locking Cortex Screw 4.5 mm S.S. 16 cm To 60 cm	Locking Cortex Screw 4.5 mm S.S. 16 cm To 60 cm	10cm to 20cm = 30 each, 20cm to 40cm = 20 each, 42cm to 60cm = 10 each
65	Locking Cancellous Screw 3.0 mm F.T 10 cm To 40 cm	Locking Cancellous Screw 3.0 mm F.T 10 cm To 40 cm	10cm to 20cm = 15 each, 20cm to 40cm = 10 each
66	Locking Cancellous Screw 3.8 mm F.T. 12 cm To 80 cm	Locking Cancellous Screw 3.8 mm F.T. 12 cm To 80 cm	12cm to 30cm = 15 each, 32cm to 50cm = 10 each, 52cm to 80cm = 5 each
67	Locking Cancellous Screw 5.0mm F.T. 30 cm To 90 cm	Locking Cancellous Screw 5.0mm F.T. 30 cm To 90 cm	30cm to 40cm = 10 each, 42cm to 50cm = 20 each, 52cm to 80cm = 15 each, 82cm to 90cm = 5 each
68	Locking Cancellous Screw 6.4 mm F.T. 30 cm To 90 cm	Locking Cancellous Screw 6.4 mm F.T. 30 cm To 90 cm	30cm to 40cm = 10 each, 42cm to 50cm = 20 each, 52cm to 80cm = 15 each, 82cm to 90cm = 5 each
69	Suture Wire Real 16 swg To 20 Swg	Suture Wire Real 16 swg To 20 Swg	16 = 3, 18 to 20 = 5 each,
70	K Wire 6 " 1.0 mm To 3.5 mm	K Wire 6 " 1.0 mm To 3.5 mm	1 = 15, 1.2 = 20, 1.5 = 30, 1.8 = 30, 2 = 40, 2.5 to 3.5 = 20 each, 4 = 15, 4.5 = 10, 5 = 5
71	Steibman Pin	Steibman Pin	2 = 40, 2.5 to 3.5 = 20 each, 4 = 30, 4.5 = 20, 5 = 10
72	Schanz Pin 2.5 MM 6"	Schanz Pin 2.5 MM 6"	20

73	Schanz Pin 3.5 MM 6"	Schanz Pin 3.5 MM 6"	20
74	Schanz Pin 4.5 MM 9"	Schanz Pin 4.5 MM 9"	20
75	Schanz Pin 4.5 mm 32 T.L 10 "	Schanz Pin 4.5 mm 32 T.L 10 "	30
76	Asculap Clamp 4.0 mm x 2.5 mm	Asculap Clamp 4.0 mm x 2.5 mm	30
77	Asculap Clamp 4.0 mm x 4.0 mm	Asculap Clamp 4.0 mm x 4.0 mm	30
78	Asculap Clamp 8.0 mm x 4.5 mm	Asculap Clamp 8.0 mm x 4.5 mm	30
79	Asculap Clamp 8.0 mm x 8.0 mm	Asculap Clamp 8.0 mm x 8.0 mm	30
80	Asculap Clamp Rod to Rod	Asculap Clamp Rod to Rod	30
81	Asculap Rod 4.0 mm 6" To 12 "	Asculap Rod 4.0 mm 6" To 12 "	30
82	Asculap Rod 8.0 mm 6" to 10 "	Asculap Rod 8.0 mm 6" to 10 "	30



DEAN,

**Shri Bhausaheb Hire Govt.
Medical College, Dhule.**